


KPO

CARATTERISTICHE IDRAULICHE HYDRAULIC FEATURES

| Tipo Type | Cond. | Potenza Power | | Prevalenza m.c.a. - Head w.c.m. | | | | | | | | | DNA | DNI |
|--------------|-------|------------------|------|---------------------------------|----|------|-----|------|------|-----|-----|----|-----------------------|-----------------------|
| | µF | | | 4 | 6 | 8 | 10 | 11 | 12 | 13 | 14 | 15 | | |
| | | HP | KW | Portata m³/h - Flow m³/h | | | | | | | | | | |
| KPO 33 | 12 | 0,33 | 0,25 | 12 | 10 | 8 | 5,5 | 4,6 | 2 | | | | 1 1/2" ø 50 PVC | 1 1/2" ø 50 PVC |
| KPO 50 | 14 | 0,5 | 0,33 | 14 | 12 | 10 | 7 | 6,5 | 5 | | | | | |
| KPO 75 M | 16 | 0,75 | 0,55 | 16 | 15 | 12,5 | 10 | 9,3 | 8 | 6,6 | 4,2 | 2 | | |
| KPO 75 T | - | 0,75 | 0,55 | 16 | 15 | 12,5 | 10 | 9,3 | 8 | 6,6 | 4,2 | 2 | | |
| KPO 100 M | 20 | 1 | 0,75 | 18 | 16 | 15,3 | 13 | 12,1 | 10,5 | 9,7 | 7,6 | 6 | | |
| KPO 100 T | - | 1 | 0,75 | 18 | 16 | 15,3 | 13 | 12,1 | 10,5 | 9,7 | 7,6 | 6 | | |

DIMENSIONI E PESI DIMENSIONS AND WEIGHTS




| Tipo Type | A | B | C | D | E | F | G | H | I | J | L1 | A1 | H1 | DNA | Netto | Lordo |
|--------------|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------|-------|-------|
| | | | | | | | | | | | | | | DNI | Kg. | Kg. |
| KPO 33 | 191 | 205 | 470 | 285 | 95 | 233 | 140 | 180 | 265 | 197 | 630 | 230 | 360 | 1 1/2" | 10 | 11,6 |
| KPO 50 | 191 | 205 | 470 | 285 | 95 | 233 | 140 | 180 | 265 | 197 | 630 | 230 | 360 | 1 1/2" | 10 | 11,6 |
| KPO 75 M | 191 | 205 | 470 | 285 | 95 | 233 | 140 | 180 | 265 | 197 | 630 | 230 | 360 | 1 1/2" | 11 | 12,6 |
| KPO 75 T | 191 | 205 | 470 | 285 | 95 | 233 | 140 | 180 | 265 | 197 | 630 | 230 | 360 | 1 1/2" | 11 | 12,6 |
| KPO 100 M | 191 | 205 | 470 | 285 | 95 | 233 | 140 | 180 | 265 | 197 | 630 | 230 | 360 | 1 1/2" | 11 | 12,6 |
| KPO 100 T | 191 | 205 | 470 | 285 | 95 | 233 | 140 | 180 | 265 | 197 | 630 | 230 | 360 | 1 1/2" | 11 | 12,6 |

KPW

CARATTERISTICHE IDRAULICHE HYDRAULIC FEATURES

| Tipo Type | Cond. | Potenza Power | | "A" | | | Prevalenza m.c.a. - Head w.c.m. | | | | | | | | DNA | DNI |
|--------------|-------|------------------|------|------|-----|-----|---------------------------------|------|-------|------|------|------|-----|----|-----|-----|
| | µF | | | II | III | III | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | | |
| | | HP | KW | 230 | 230 | 400 | Portata m³/h - Flow m³/h | | | | | | | | | |
| KPW 12 M | 14 | 0,5 | 0,37 | 3,6 | | | 17,5 | 15,6 | 13,5 | 11,1 | 8,4 | | | | 2" | 2" |
| KPW 12 T | | 0,5 | 0,37 | | 2,4 | 1,4 | 17,5 | 15,6 | 13,5 | 11,1 | 8,4 | | | | | |
| KPW 14 M | 16 | 0,75 | 0,55 | 4,75 | | | 19,5 | 19 | 15,7 | 13,5 | 10,8 | 7,9 | | | | |
| KPW 14 T | | 0,75 | 0,55 | | 3,1 | 1,8 | 19,5 | 19 | 15,7 | 13,5 | 10,8 | 7,9 | | | | |
| KPW 19 M | 20 | 1 | 0,75 | 5,5 | | | 23,2 | 21 | 19,07 | 18 | 15 | 12,3 | 8,7 | | | |
| KPW 19 T | | 1 | 0,75 | | 3,8 | 2,2 | 23,2 | 21 | 19,07 | 18 | 15 | 12,3 | 8,7 | | | |
| KPW 24 M | 31,5 | 1,5 | 1,1 | 7,3 | | | 27,7 | 26 | 24 | 21 | 19 | 17 | 13 | 10 | | |
| KPW 24T | | 1,5 | 1,1 | | 5 | 2,9 | 27,7 | 26 | 24 | 21 | 19 | 17 | 13 | 10 | | |
| KPW 28 M | 31,5 | 2 | 1,5 | 9,2 | | | 30 | 29 | 26 | 24 | 21 | 18 | 14 | 12 | | |
| KPW 28 T | | 2 | 1,5 | | 6 | 3,5 | 30 | 29 | 26 | 24 | 21 | 18 | 14 | 12 | | |
| KPW 30 M | 40 | 3 | 2,2 | 12,2 | | | 35 | 33 | 31 | 29 | 27 | 23 | 20 | 15 | | |
| KPW 30 T | | 3 | 2,2 | | 8,6 | 5,0 | 35 | 33 | 31 | 29 | 27 | 23 | 20 | 15 | | |

DIMENSIONI E PESI DIMENSIONS AND WEIGHTS




| Tipo Type | A | B | C | D | E | F | G | H | I | J | K | L | L1 | A1 | H1 | DNA | Netto | Lordo |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-------|
| | | | | | | | | | | | | | | | | DNI | Kg. | Kg. |
| KPW 12 M | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 550 | 630 | 230 | 360 | 2" | 11 | 12,6 |
| KPW 12 T | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 550 | 630 | 230 | 360 | 2" | 11 | 12,6 |
| KPW 14 M | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 550 | 630 | 230 | 360 | 2" | 11,4 | 13 |
| KPW 14 T | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 550 | 630 | 230 | 360 | 2" | 11,4 | 13 |
| KPW 19 M | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 550 | 630 | 230 | 360 | 2" | 13 | 14,6 |
| KPW 19 T | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 550 | 630 | 230 | 360 | 2" | 13 | 14,6 |
| KPW 24 M | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 580 | 630 | 230 | 360 | 2" | 15,8 | 17,6 |
| KPW 24T | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 580 | 630 | 230 | 360 | 2" | 15,8 | 17,6 |
| KPW 28 M | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 650 | 705 | 230 | 360 | 2" | 18,4 | 20 |
| KPW 28 T | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 575 | 630 | 230 | 360 | 2" | 15,6 | 17,4 |
| KPW 30 M | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 650 | 705 | 230 | 360 | 2" | 21 | 22,6 |
| KPW 30 T | 216 | 109 | 265 | 370 | 325 | 206 | 325 | 400 | 220 | 205 | 160 | 650 | 705 | 230 | 360 | 2" | 21 | 22,6 |

KSM

CARATTERISTICHE IDRAULICHE HYDRAULIC FEATURES

| Tipo Type | r.p.m. | Potenza Power | | Prevalenza m.c.a. - Head w.c.m. | | | | | | | | DNA | DNI | |
|--------------|--------|------------------|-----|---------------------------------|-----|-----|-----|-----|-----|-----|----|-----|-----|----|
| | | | | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | | | 22 |
| | | HP | KW | Portata m³/h - Flow m³/h | | | | | | | | | | |
| KSM 4-300 | 1.450 | 3 | 2,2 | 70 | 60 | 48 | 35 | 18 | | | | | 4" | 4" |
| KSM 4-400 | 1.450 | 4 | 3 | 83 | 75 | 65 | 52 | 40 | 20 | | | | | |
| KSM 4-550 | 1.450 | 5,5 | 4 | 126 | 110 | 83 | 65 | 30 | | | | | | |
| KSM 4-750 | 1.450 | 7,5 | 5,5 | 152 | 136 | 111 | 95 | 72 | 40 | | | | | |
| KSM 2-1000 | 2.850 | 10 | 7,5 | 165 | 155 | 140 | 120 | 95 | 70 | 30 | | | | |
| KSM 2-1250 | 2.850 | 12,5 | 9,2 | 180 | 175 | 165 | 145 | 125 | 105 | 75 | 40 | | | |
| KSM 2-1500 | 2.850 | 15 | 11 | 206 | 200 | 185 | 172 | 155 | 130 | 105 | 75 | 45 | | |

DIMENSIONI E PESI DIMENSIONS AND WEIGHTS




| Tipo Type | A | B | C | D | E | F | G | H | I | J | K | L | DNA |
|--------------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | | | DNI |
| KSM 4-300 | 426 | 405 | 835 | 525 | 265 | 450 | 530 | 242 | 575 | 370 | 300 | 335 | 4" |
| KSM 4-400 | 426 | 405 | 835 | 525 | 265 | 450 | 530 | 242 | 575 | 370 | 300 | 335 | 4" |
| KSM 4-550 | 426 | 405 | 855 | 525 | 265 | 450 | 530 | 242 | 575 | 370 | 300 | 335 | 4" |
| KSM 4-750 | 426 | 405 | 895 | 525 | 265 | 450 | 530 | 242 | 575 | 370 | 300 | 335 | 4" |
| KSM 2-1000 | 426 | 405 | 895 | 525 | 265 | 450 | 530 | 242 | 575 | 370 | 300 | 335 | 4" |
| KSM 2-1250 | 426 | 405 | 935 | 525 | 265 | 450 | 530 | 242 | 575 | 370 | 300 | 335 | 4" |
| KSM 2-1500 | 426 | 405 | 1010 | 525 | 265 | 450 | 530 | 242 | 575 | 370 | 300 | 335 | 4" |

KSC

CARATTERISTICHE IDRAULICHE HYDRAULIC FEATURES

| Tipo Type | r.p.m. | Potenza Power | | Prevalenza m.c.a. - Head w.c.m. | | | | | | | | DNA | DNI | |
|--------------|--------|------------------|-----|---------------------------------|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|
| | | | | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | | | 22 |
| | | HP | KW | Portata m³/h - Flow m³/h | | | | | | | | | | |
| KSC 4-300 | 1.450 | 3 | 2,2 | 70 | 60 | 48 | 35 | 18 | | | | | 110 | 110 |
| KSC 4-400 | 1.450 | 4 | 3 | 83 | 75 | 65 | 52 | 40 | 20 | | | | | |
| KSC 4-550 | 1.450 | 5,5 | 4 | 126 | 110 | 83 | 65 | 30 | | | | | | |
| KSC 4-750 | 1.450 | 7,5 | 5,5 | 152 | 136 | 111 | 95 | 72 | 40 | | | | | |
| KSC 2-1000 | 2.850 | 10 | 7,5 | 165 | 155 | 140 | 120 | 95 | 70 | 30 | | | | |
| KSC 2-1250 | 2.850 | 12,5 | 9,2 | 180 | 175 | 165 | 145 | 125 | 105 | 75 | 40 | | | |
| KSC 2-1500 | 2.850 | 15 | 11 | 206 | 200 | 185 | 172 | 155 | 130 | 105 | 75 | 45 | | |

DIMENSIONI E PESI DIMENSIONS AND WEIGHTS



| Tipo Type | A | B | C | D | E | F | G | H | I | J | DNA |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | DNI |
| KSC 4-300 | 265 | 165 | 595 | 285 | 450 | 530 | 370 | 500 | 300 | 335 | 4" |
| KSC 4-400 | 265 | 165 | 595 | 285 | 450 | 530 | 370 | 500 | 300 | 335 | 4" |
| KSC 4-550 | 265 | 165 | 615 | 285 | 450 | 530 | 370 | 500 | 300 | 335 | 4" |
| KSC 4-750 | 265 | 165 | 655 | 285 | 450 | 530 | 370 | 500 | 300 | 335 | 4" |
| KSC 2-1000 | 265 | 165 | 655 | 285 | 450 | 530 | 370 | 500 | 300 | 335 | 4" |
| KSC 2-1250 | 265 | 165 | 695 | 285 | 450 | 530 | 370 | 500 | 300 | 335 | 4" |
| KSC 2-1500 | 265 | 165 | 770 | 285 | 450 | 530 | 370 | 500 | 300 | 335 | 4" |